Contents

Volume 32, Issue 1, January 2001

1 Instructions to authors

7 Detection of *Salmonella* and simultaneous detection of *Salmonella* and Shiga-like toxin producing *Escherichia coli* using magnetic capture hybridization PCR *J. Chen & M.W. Griffiths*

12 A simple and easy method for the monitoring of environmental pollutants using oligotrophic bacteria *Y. Tada, T. Kobata & C. Nakaoka*

16 Effects of metal ions on simultaneous production of glucose oxidase and catalase by *Aspergillus niger J-Zhong Liu, Y.Y. Huang, J. Liu, L.P. Weng & L.N. Ji*

20 Peptide utilization by *Lactococcus lactis* and *Leuconostoc mesenteroides C. Foucaud, D. Hemme & M. Desmazeaud*

26 Comparison of a range of green fluorescent protein (gfp)-tagging vectors for monitoring a microbial inoculant in soil *C.E. Dandie, S.M. Thomas & N.C. McClure*

31 Thermostable α-amylase production by an extreme thermophile *Bacillus thermooleovorans S. Narang & T. Satyanarayana*

36 Characterization of lactic acid bacteria in the larval midgut of the keratinophagous lepidopteran, *Hofmannophila pseudospretella A.L. Shannon, G. Attwood, D.H. Hopcroft & J.T. Christeller*

42 Effect of hydrostatic pressure on the morphology and ultrastructure of wild-type and trehalose synthase mutant cells of *Saccharomyces cerevisiae P.M.B. Fernandes, M. Farina & E. Kurtenbach*

47 Ruminal methnogenesis as influence by individual fatty acids supplemented to complete ruminant diets *F. Dohme, A. Machmüller, A. Wasserfallen & M. Kreuzer*

52 A rapid procedure for isolating chromosomal DNA from *Lactobacilli* species and other Gram-positive bacteria *R.L. Ulrich & T.A. Hughes*

57 Detection of Vibrionaceae in mussels and in their sea water growing area *L. Croci, P. Serratore, L. Cozzi, A. Stacchini, S. Milandri, E. Suffredini & L. Toti*

Volume 32, Issue 2, February 2001

63 Selective media for the specific isolation and enumeration of *Botrytis cinerea* conidia *S.G. Edwards & B. Seddon*

67 Cross-protection phenomenon in *Escherichia coli* strains harbouring cytotoxic necrotizing factors and cytolethal distending toxins *M.T. Rowe & R.B. Kirk*

71 Heterologous expression of lacticin 3147 in *Enterococcus faecalis*: comparison of biological activity with cytolysin *M.P. Ryan, O. McAuliffe, R.P. Ross & C. Hill*

78 A new chromogenic medium for the isolation of *Listeria* spp. *P.A. Smith, D. Mellors, A. Holroyd & C. Gray*

83 Immunolocalization of the Mip protein of intracellularly and extracellularly grown *Legionella pneumophila J.H. Helbig, P.C. Lück, M. Steinert, E. Jacobs & M. Witt*

89 Comparison of selective enrichment media for the detection of *Salmonella* in poultry faeces *N. Voogt, M. Raes, W.J.B. Wannet, A.M. Henken & A.W. van de Giessen*

93 Stereochemical applications of the expression of the L-2, 3-butanediol dehydrogenase gene in *Escherichia coli S. Ui, Y. Takusagawa, T. Ohtsuki, A. Mimura, M. Ohkuma & T. Kudo*

99 Differentiation of the effects of lethal pH and water activity: food safety implications *C. Shadbolt, T. Ross & T.A. McMeekin*

103 Empirical model for the autotrophic biodegradation of thiocyanate in an activated sludge reactor *C.A. du Plessis, P. Barnard, R.M. Muhlbauer & K. Naldrett*

108 Survival of *Lactobacillus helveticus* strain CP53 in the human gastrointestinal tract *T. Shinoda, D. Kusuda, Y. Ishida, N. Ikeda, K. Kaneko, O. Masuda & N. Yamamoto*

114 Resistance patterns of non-O157 Shiga toxin-producing *Escherichia coli* (STEC) strains isolated from animals, food and asymptomatic human carriers in Switzerland *R. Stephan & S. Schumacher*

118 Occurrence and virulence factors of non-O157 Shiga toxin-producing *Escherichia coli* in retail meat in Dunedin, New Zealand *H.J.L. Brooks, B.D. Mollison, K.A. Bettelheim, K. Matejka, K.A. Paterson & V.K. Ward*

Volume 32, Issue 3, March 2001

123 Influence of butyric and lactic acids on the ß-glucuronidase activity of *Clostridium perfringens T. Fujisawa, K. Aikawa, T. Takahashi, S. Yamai, K. Watanabe, Y. Kubota & M. Miyaoka*

126 Optimization of random amplification of polymorphic DNA analysis for molecular subtyping of *Escherichia coli* O157 *K.L. Hopkins & A.C. Hilton*

131 Prediction of conidial germination of *Penicillium chrysogenum* as influenced by temperature, water activity and pH *M. Sautour, A. Rouget, P. Dantigny, C. Divies & M. Bensoussan*

135 Susceptibility of *Burkholderia cepacia* and other pathogens of importance in cystic fibrosis to u.v. light *G. Cairns, K.G. Kerr, C.B. Beggs, P.A. Sleigh, L. Mooney, P. Keig & J.K. Donnelly*

139 Molecular characterization of *Bacillus anthracis* using multiplex PCR, ERIC-PCR and RAPD *Y.-H. Shangkuan, Y.-H. Chang, J.-F. Yang, H.-C. Lin & M.-F. Shaio*

146 Partial charcterization of polyfermenticin SCD, a newly identified bacteriocin of *Bacillus polyfermenticus K.-H. Lee, K.-D. Jun, W.-S. Kim & H.-D. Paik*

152 The survival of *Escherichia coli* O157:H7 in slurry from cattle fed different diets *P. McGee, D.J. Bolton, J.J. Sheridan, B. Earley & N. Leonard*

156 Fermentation properties of gentio-oligosaccharides *C.E. Rycroft, M.R. Jones, G.R. Gibson & R.A. Rastall*

162 A directed approach to the selection of bacteria with enhanced catabolic activity *K. Heesche-Wagner, T. Schwarz & M. Kaufmann*

166 Detection of tabtoxin-producing strains of *Pseudomonas syringae* by PCR *J. Lydon & C.D. Patterson*

171 A comparison of immunomagnetic separation and culture, Reveal™ and VIP™ for the detection of *E. coli* O157 in enrichment cultures of naturally-contaminated raw beef, lamb and mixed meat products *P.A. Chapman, M. Ellin & R. Ashton*

176 Development of Dot-ELISA for the detection of human rotavirus antigen and comparison with RNA-PAGE *T. Anand, T.A. Narasa Raju, C. Vishnu, L. Venkateswar Rao & G. Sharma*

181 *Lactobacillus plantarum* phytase activity is due to non-specific acid phosphatase *M. Zamudio, A. González & J.A. Medina*

185 Characterization of dextran-producing *Leuconostoc* strains *S.M. Holt, H. Al-Sheikh & K.-J. Shin*

190 Optimum conditions for yeast protoplast release and regeneration in *Saccharomyces cerevisiae* and *Candida tropicalis* using gut enzymes of the giant African snail *Achatina achatina O.U. Ezeronye & P.O. Okerentugba*

194 Copper sorption by native and modified pellets of wood-rotting basidiomycetes *J. Gabriel, P. Baldrian, K. Hladíková & M. Háková*

199 Taxonomy of obligately homofermentative and facultatively heterofermentative lactobacilli in pig faeces *M. Du Toit, L.M.T. Dicks & W.H. Holzapfel*

205 Effects of chilling on sampling of bacteria attached to swine carcasses *S.-L. Yu, P.H. Cooke & S.-I. Tu*

211 Sensitive plate assay for screening and detection of bacterial polyurethanase activity *G.T. Howard, J. Vicknair & R.I. Mackie*

Volume 32, Issue 4, April 2001

215 Temporal temperature gradient gel electrophoresis (TTGE) as a tool for identification of *Lactobacillus casei, Lactobacillus paracasei, Lactobacillus zeae* and *Lactobacillus rhamnosus A. Vásquez, S. Ahrné, B. Pettersson & G. Molin*

220 *In-vitro* activity of propyl gallate–azole drug combination against fluconazole- and itraconazole-resistant *Candida albicans* strains *F.D. D'Auria, M. Tecca, R. Strippoli & N. Simonetti*

224 Comparison of fermentative capacities of industrial baking and wild-type yeasts of the species *Saccharomyces cerevisiae* in different sugar media *P.J.L. Bell, V.J. Higgins & P.V. Attfield*

230 *In vitro* stability and expression of green fluorescent protein under high pressure conditions *M.A. Ehrmann, C.H. Scheyhing & R.F. Vogel*

235 Purification and N-terminal amino acid sequence of fructose-6-phosphate phosphoketolase from *Bifidobacterium longum* BB536 *K.G. Fandi, H.M. Gahazli, A.M. Yazid & A.R. Raha*

240 Mycotoxin production from fungi isolated from grapes *L. Abrunhosa, R.R.M. Paterson, Z. Kozakiewicz, N. Lima & A. Venâncio*

243 Thuricin 7: a novel bacteriocin produced by *Bacillus thuringiensis* BMG1.7, a new strain isolated from soil *A. Cherif, H. Ouzari, D. Daffonchio, H. Cherif, K. Ben Slama, A. Hassen, S. Jaoua & A. Boudabous*

248 Improvement of xylitol production by *Candida guilliermondii* FTI 20037 previously adapted to rice straw hemicellulosic hydrolysate *C.J.S.M. Silva & I.C. Roberto*

253 Role of batch depletion of broiler houses on the occurrence of *Campylobacter* spp. in chicken flocks *B. Hald, E. Rattenborg & M. Madsen*

257 Intracellular nickel accumulation by *Pseudomonas aeruginosa* and its chemical nature *P. Sar, S.K. Kazy & S.P. Singh*

262 Shifting the biotransformation pathways of L-phenylalanine into benzaldehyde by *Trametes suaveolens* CBS 334.85 using HP20 resin *A. Lomascolo, M. Asther, D. Navarro, C. Antona, M. Delattre & L. Lesage-Meessen*

268 Detection and characterization of filterable heterotrophic bacteria from rural groundwater supplies *T.O. Lillis & G.K. Bissonnette*

273 A rapid method to screen degradation ability in chlorophenoxyalkanoic acid herbicide-degrading bacteria *C.W. Smejkal, T. Vallaeys, S.K. Burton & H.M. Lappin-Scott*

278 Inhibitory effect of acetosyringone on two aflatoxin biosynthetic genes *S.-S.T. Hua*

282 The role of L-carnitine and glycine betaine in the survival and sub-lethal injury of non-growing *Listeria monocytogenes* cells during chilled storage *G.A. Dykes & S.M. Moorhead*

287 Anti-proliferative effect of two lactic acid bacteria strains of human origin on the growth of a myeloma cell line *A. Zabala, M.R. Martín, A.I. Haza, L. Fernández, J.M. Rodríguez & P. Morales*

Volume 32, Issue 5, May 2001

293 Screening of some plants from Northern Argentina for their antimicrobial activity *A. Salvat, L. Antonnacci, R.H. Fortunato, E.Y. Suarez & H.M. Godoy*

298 Evaluation of recovery methods to detect faecal streptococci in polluted waters *S. Massa, G.F. Brocchi, G. Peri, C. Altieri & C. Mammina*

303 Comparative study of the influence of melatonin and vitamin E on the surface characteristics of *Escherichia coli J. Uberos, C. Augustin, J. Liébana, A. Molina & A. Muñoz-Hoyos*

307 Pre-slaughter handling of cattle and Shiga toxin-producing *Escherichia coli* (STEC) *J. Midgley & P. Desmarchelier*

312 Sodium chloride enhances recovery and growth of acid-stressed *E. coli* O157:H7 *K.N. Jordan & K.W. Davies*

316 Methods for the isolation of water-borne *Escherichia coli* O157 *J.T. LeJeune, T.E. Besser, D.H. Rice & D.D. Hancock*

321 Detection of *Clostridium botulinum* neurotoxin type A using immuno-PCR *H.C. Wu, Y.L. Huang, S.C. Lai, Y.Y. Huang & M.F. Shaio*

326 Rapid, high-throughput extraction of bacterial genomic DNA from selective-enrichment culture media *T. Wilson & J. Carson*

331 Kinetic differences of purified laccases from six *Pleurotus ostreatus* strains *R. Tinoco, M.A. Pickard & R. Vazquez-Duhalt*

336 Comparison of sludge and clinical isolates of *Listeria monocytogenes A. Lozniewski, A. Humbert, D. Corsaro, J. Schwartzbrod, M. Weber & A. Le Faou*

340 Application of resazurin for estimating abundance of contaminant-degrading micro-organisms *T.F. Guerin, M. Mondido, B. McClenn & B. Peasley*

346 The potential biocontrol agent *Pseudomonas antimicrobica* inhibits germination of conidia and outgrowth of *Botrytis cinerea R. Walker, C.M.J. Innes & E.J. Allan*

349 Production of ultrasensitive antibodies against aflatoxin B_1 *J.K. Gathumbi, E. Usleber & E. Märtlbauer*

352 Differentiation of *Lactobacillus delbrueckii* subsp. *bulgaricus* and *Lactobacillus delbrueckii* subsp. *lactis* by SDS-PAGE of cell-wall proteins *M. Gatti, M.E. Fornasari & E. Neviani*

357 G1 Antigen: a cell-surface immunoprotective 96 kDa glycoprotein from virulent fish pathogen *Enterococcus seriolicida*, its purification and characterization *S.R. Alim, M. Anwar Hossain, E.K. Chowdhury & R. Kusuda*

362 Association of PCR and feeding bioassays as a large-scale method to screen tropical *Bacillus thuringiensis* isolates for a *cry* constitution with higher insecticidal effect against *Spodoptera frugiperda* (Lepidoptera: Noctuida) larvae *L.L. Loguercio, C.G. Santos, M.R. Barreto, C.T. Guimaraes & E. Paiva*

368 Corrigendum

Volume 32, Issue 6, June 2001

369 Editorial *D.E.S. Stewart-Tull*

370 Evaluation of a reversed passive latex agglutination test for the detection of Verocytotoxin (VT) expressed by strains of VT-producing *Escherichia coli H. Chart, G.A. Willshaw & T. Cheasty*

375 Transmission of *Yersinia enterocolitica* 4/O:3 to pets via contaminated pork *M. Fredriksson-Ahomaa, T. Korte & H. Korkeala*

379 Tolerance of *Bradyrhizobium* sp. (*Lupini*) strains to salinity, pH, $CaCO_3$ and antibiotics *S. Raza, B. Jørnsgård, H. Abou-Taleb & J.L. Christiansen*

384 Use of temporal temperature gradient gel electrophoresis to identify *flaA* and *fim3* sequence types in *Bordetella bronchiseptica A. Shina, S.K.S. Mon, S. Dawson, R.M. Gaskell, C.A. Hart & C. Winstanley*

388 *In situ* reverse transcription to detect the *cbbL* gene and visualize RuBisCO in chemoautotrophic nitrifying bacteria *C.D. Sinigalliano, D.N. Kuhn, R.D. Jones & M.A. Guerrero*

394 Identification of *Streptococcus salivarius* by PCR and DNA probe *T. Igarashi, Y. Yano, A. Yamamoto, R. Sasa & N. Goto*

398 ^{13}C incorporation into DNA as a means of identifying the active components of ammonia-oxidizer populations *C.B. Whitby, G. Hall, R. Pickup, J.R. Saunders, P. Ineson, N.R. Parekh & A. McCarthy*

402 Enhancement of Cephalosporin C production by cultivation of *Cephalosporium acremonium* M25 using a mixture of inocula *M.S. Lee, J.S. Lim, C.H. Kim, K.K. Oh, D.R. Yang & S.W. Kim*

407 Laccase production by *Phanerochaete chrysosporium* – an artefact caused by Mn(III)? *H. Podgornik, M. Stegu, E. Zibert & A. Perdih*

412 Inducible and constitutive expression using new plasmid and integrative expression vectors for *Thermus* sp. *K.J. Kayser, J.-H. Kwak, H.-S. Park & J.J. Kilbane II*

419 Characterization and control of thread mould in cheese *J.C. Basílico, M.Z. de Basílico, C. Chiericatti & C.G. Vinderola*

424 *recA* genotyping of *Salmonella enteritidis* phage type 4 isolates by restriction fragment length polymorphism analysis *T. Matsui, M. Matsuda, O. Murayama, B.C. Millar & J.E. Moore*

428 Influence of strain and trisodium phosphate concentration on growth parameters of *Listeria monocytogenes in vitro* *R. Capita, C. Alonso-Calleja, M.C. García-Fernández & B. Moreno*

433 Exopolysaccharide-producing strains of thermophilic lactic acid bacteria cluster into groups according to their EPS structure *V.M. Marshall, A.P. Laws, Y. Gu, F. Lavander, P. Radstrom, L. De Vuyst, B. Degeest, F. Vaningelgem, H. Dunn & M. Elvin*

439 Index